

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Himanshu BRAHMBHATT *et al.*
Title: **TARGETED GENE DELIVERY TO NON-PHAGOCYtic MAMMALIAN CELLS VIA BACTERIALLY DERIVED INTACT MINICELLS**
Appl. No.: 10/581,990
Filing Date 2/26/07
Examiner: Anoop Kumar Singh
Art Unit: 1632
Confirmation Number: 1926

TRANSMITTAL

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Further to the Reply filed on September 17th, applicant submits with this paper a courtesy copy of each publication listed below. These publications were cited in the Reply.

Applicant believes no fee is required for this submission.

Respectfully submitted,

Date 29 September 2009

By R. Brian McCaslin

FOLEY & LARDNER LLP
Customer Number: 22428
Telephone: (617) 342-4039
Facsimile: (617) 342-4001

R. Brian McCaslin
Attorney for Applicant
Registration No. 48,571

LIST OF PUBLICATIONS

- Aoyama, Y., Kanamori, T., Nakai, T., Sasaki, T., Horiuchi, S., Sando, S. & Niidome, T. Artificial viruses and their application to gene delivery. Size-controlled gene coating with glycocluster nanoparticles. *J. Am. Chem. Soc.* 125: 3455–3457 (2003).
- Bartlett, J.S., Wilcher, R. & Samulski, R.J. Infectious entry pathway of adeno-associated virus and adeno-associated virus vectors. *J. Virol.* 74: 2777– 2785 (2000).
- Bicknese, S., Periasamy, N., Shohet, S.B. & Verkman, A.S. Cytoplasmic viscosity near the cell plasma membrane: measurement by evanescent field frequency-domain microfluorimetry. *Biophys. J.* 65: 1272–1282 (1993).
- Boucher, R.C., Pickles, R.J., Rideout, J.L., Pendergast, W. & Yerxa, B.R. Targeted gene transfer using G protein coupled receptors. *U.S. patent application*. US 2003/004123 A1. Jan 2, 2003.
- Brinster, R.L., Chen, H.Y., Trumbauer, M.E., Yagle, M.K. & Palmiter, R.D. Factors affecting the efficiency of introducing foreign DNA into mice by microinjecting eggs. *Proc. Natl. Acad. Sci. U. S. A.* 82: 4438– 4442 (1985).
- Bullough, P.A., Hughson, F.M., Skehel, J.J., Wiley, D.C. Structure of influenza haemagglutinin at the pH of membrane fusion. *Nature* 371: 37– 43 (1994).
- Capecchi, M.R. High efficiency transformation by direct microinjection of DNA into cultured mammalian cells. *Cell* 22: 479– 488 (1980).
- Clark, P.R. & Hersh, E.M. Cationic lipid-mediated gene transfer: current concepts. *Curr. Opin. Mol. Ther.* 1: 158– 176 (1999).
- Drams, S. & Cossart, P. Intracellular pathogens and the actin cytoskeleton. *Annu. Rev. Cell. Dev. Biol.* 14: 137–166 (1998).
- Douar, A.M., Poulard, K., Stockholm, D. & Danos, O. Intracellular trafficking of adeno-associated virus vectors: routing to the late endosomal compartment and proteasome degradation. *J. Virol.* 75: 1824– 1833 (2001).
- El Ouahabi, A., Thiry, M., Fuks, R., Ruyschaert, J. & Vandenbranden, M. The role of the endosome destabilizing activity in the gene transfer process mediated by cationic lipids. *FEBS Lett.* 414: 187– 192 (1997).
- Essani, K. & Dales, S. Biogenesis of vaccinia: evidence for more than 100 polypeptides in the virion. *Virology* 95: 385–394 (1979).
- Farhood, H., Serbina, N. & Huang, L. The role of dioleoyl phosphatidylethanolamine in cationic liposome mediated gene transfer. *Biochim. Biophys. Acta* 1235: 289–295 (1995).

Fasbender, A., Marshall, J., Moninger, T.O., Grunst, T., Cheng, S. & Welsh, M.J. Effect of co-lipids in enhancing cationic lipid-mediated gene transfer in vitro and in vivo. *Gene Ther.* 4: 716–725 (1997).

Finlay, B.B. & Cossart, P. Exploitation of mammalian host cell functions by bacterial pathogens. *Science* 276: 718–25 (1997).

Galan, J.E. Molecular and cellular bases of *Salmonella* entry into host cells. *Curr. Top. Microbiol. Immunol.* 209: 43–60 (1996).

Gao, H., Shi, W. & Freund, L.B. Mechanics of receptor-mediated endocytosis. *Proc. Natl. Acad. Sci. U.S.A.* 102: 9469–9474 (2005).

Greber, U.F. & Fassati, A. Nuclear import of viral DNA genomes. *Traffic* 4: 136–143 (2003).

Greber, U.F., Webster, P., Weber, J. & Helenius, A. The role of the adenovirus protease on virus entry into cells, *EMBO J.* 15: 1766– 1777 (1996).

Hafez, I.M., Maurer, N. & Cullis, P.R. On the mechanism whereby cationic lipids promote intracellular delivery of polynucleic acids. *Gene Ther.* 8: 1188–1196 (2001).

Klemm, A.R. Effects of polyethylenimine on endocytosis and lysosome stability. *Biochem. Pharmacol.* 56: 41–46 (1998).

Lechardeur, D., Sohn, K.J., Haardt, M., Joshi, P.B., Monck, M., Graham, R.W., Beatty, B., Squire, J., O’Brodivich, H. & Lukacs, G.L. Metabolic instability of plasmid DNA in the cytosol: a potential barrier to gene transfer. *Gene Ther.* 6: 482– 497 (1999).

Lee, K-D, OhY, Portnoy, D, *et al.* Delivery of macromolecules into cytosol using liposomes containing hemolysin from *Listeria monocytogenes*. *J. Biol. Chem.* 271: 7249–7252 (1996).

Lewis, P., Hensel, M. & Emerman, M. Human immunodeficiency virus infection of cells arrested in the cell cycle. *EMBO J.* 11: 3053–3058 (1992).

Lorenzi, G.L., Lee, K.D. Enhanced plasmid DNA delivery using anionic LPDII by listeriolysin O incorporation. *J. Gene Med.* 7: 1077-1085 (2005).

Lukacs, G.L., Haggie, P., Seksek, O., Lechardeur, D., Freedman, N. & Verkman, A.S. Size-dependent DNA mobility in cytoplasm and nucleus. *J. Biol. Chem.* 275: 1625– 1629 (2000).

Marsh, M. & A.M. Helenius, A.M. Virus entry into animal cells. *Adv. Virus Res.* 36: 107– 151 (1989).

Menard, R., Dehio, C. & Sansonetti, P.J. Bacterial entry into epithelial cells: the paradigm of *Shigella*. *Trends Microbiol.* 4: 220–226 (1996).

Meyer, K., Uyechi, L.S. & Szoka, F.C.J. Manipulating the intracellular trafficking of nucleic acids, in: K.L. Brigham (Ed.), *Gene Therapy for Diseases of the Lung*, Marcel Dekker Inc, New York, pp. 135–180 (1997).

Mui, B., Ahkong, Q., Chow, L. & Hope, M. Membrane perturbation and the mechanism of lipid-mediated transfer of DNA into cells. *Biochim. Biophys. Acta* 1467: 281–292 (2000).

Nakai, T., Kanamori, T., Sando, S. & Aoyama, Y. Remarkably size-regulated cell invasion by artificial viruses. Saccharide-dependent self-aggregation of glycoviruses and its consequences in glycoviral gene delivery. *J. Am. Chem. Soc.* 125: 8465–8475 (2003).

Nettelbeck, D.M., Miller, D.W., Jerome, V., Zuzarte, M., Watkins, S.J., Hawkins, R.E., Muller, R. & Kontermann, R.E. Targeting of adenovirus to endothelial cells by a bispecific single-chain diabody directed against the adenovirus fiber knob domain and human endoglin (CD105). *Mol. Ther.* 3: 882–891 (2001).

Osaki, F., Kanamori, T., Sando, S., Sera, T. & Aoyama, Y. A quantum dot conjugated sugar ball and its cellular uptake. On the size effects of endocytosis in the subviral region. *J. Am. Chem. Soc.* 126: 6520–6521 (2004).

Pante, N. & Kann, M. Nuclear pore complex is able to transport macromolecules with diameters of about 39 nm. *Mol. Biol. Cell.* 13: 425–434 (2002).

Roe, T., Reynolds, T.C., Yu, G. & Brown, P.O. Integration of murine leukemia virus DNA depends on mitosis. *EMBO J.* 12: 2099–2108 (1993).

Seisenberger, G., Ried, M.U., Endress, T., Buning, H., Hallek, M. & Brauchle, C. Real-time single-molecule imaging of the infection pathway of an adeno-associated virus. *Science* 294: 1929–1932 (2001).

Seth, P., Willingham, M.C. & Pastan, I. Binding of adenovirus and its external proteins to Triton X-114. Dependence on pH. *J. Biol. Chem.* 260: 14431–14434 (1985).

Simoes, S., Pedro, P., Duzgunes, N. & Pedrosa de Lima, M. Cationic liposomes as gene transfer vectors: barriers to successful application in gene therapy. *Curr. Opin. Struct. Biol.* 1: 147–157 (1999).

Sodeik, B., Ebersold, M.W. & Helenius, A. Microtubule-mediated transport of incoming herpes simplex virus 1 capsids to the nucleus. *J. Cell Biol.* 136: 1007–1021 (1997).

Sonawane, N., Szoka, F.J. & Verkman, A. Chloride accumulation and swelling in endosomes enhances DNA transfer by polyamine–DNA polyplexes. *J. Biol. Chem.* 278: 44826–44831 (2003).

Stein, B.S., Gowda, S.D., Lifson, J.D., Penhallow, R.C., Bensch, K.G., Engleman, E.G. pH-independent HIV entry into CD4-positive T cells via virus envelope fusion to the plasma membrane. *Cell* 49: 659–668 (1987).

Stoffler, D., Feja, B., Fahrenkrog, B., Walz, J., Typke, D. & Aebi, U. Cryo-electron tomography provides novel insights into nuclear pore architecture: implications for nucleocytoplasmic transport. *J. Mol. Biol.* 328: 119– 130 (2003).

Suomalainen, M., Nakano, M.Y., Keller, S., Boucke, K., Stidwill, R.P. & Greber, U.F. Microtubule-dependent plus- and minus end-directed motilities are competing processes for nuclear targeting of adenovirus. *J. Cell Biol.* 144: 657–672 (1999).

Swanson, J. A. & Watts, C. Macropinocytosis. *Trends Cell Biol.* 5: 424–428 (1995).

Tognon, M., Furlong, D., Conley, A.J. & Roizman, B. Molecular genetics of herpes simplex virus. Characterization of a mutant defective in ability to form plaques at low temperatures and in a viral fraction which prevents accumulation of coreless capsids at nuclear pores late in infection. *J. Virol.* 40: 870–880 (1981).

Trotman, L.C., Mosberger, N., Fornerod, M., Stidwill, R.P. & Greber, U.F. Import of adenovirus DNA involves the nuclear pore complex receptor CAN/Nup214 and histone H1. *Nat. Cell Biol.* 3: 1092– 1100 (2001).

Wattiaux, R., Laurent, N., Wattiaux-De Coninck, S. & Jadot, M. Endosomes, lysosomes: their implication in gene transfer. *Adv. Drug Deliv. Rev.* 41: 201–208 (2000).

Wente, S.R. Gatekeepers of the nucleus. *Science* 288: 1374–1377 (2000).

Wickham, T.J., Segal, D.M., Roelvink, P.W., Carrion, M.E., Lizonova, A., Lee, G.M. & Kovesdi, I. Targeted adenovirus gene transfer to endothelial and smooth muscle cells by using bispecific antibodies. *J. Virol.* 70: 6831–6838 (1996).

Wrobel, I. & Collins, D. Fusion of cationic liposomes with mammalian cells occurs after endocytosis. *Biochim. Biophys. Acta* 1235: 296– 304 (1995).

Xu, Y. & Szoka, F.C. Mechanism of DNA release from cationic liposome/DNA complexes used in cell transfection. *Biochem. J.* 35: 5616– 5623 (1996).

Zelphati, O. & Szoka, F. Intracellular distribution and mechanism of delivery of oligonucleotides mediated by cationic lipids. *Pharm. Res.* 13: 1367– 1372 (1996a).

Zelphati, O. & Szoka, F. Mechanism of oligonucleotide release from cationic liposomes. *Proc. Natl. Acad. Sci. U. S. A.* 93: 11493– 11498 (1996b).

Zhao, Y., Zhu, L., Lee, S., Li, L., Chang, E., Soong, N.W., Douer, D. & Anderson, W.F. Identification of the block in targeted retroviral-mediated gene transfer. *Proc. Natl. Acad. Sci. USA* 96: 4005–4010 (1999).